Health and Safety and Insurance Declaration (to be completed by <u>all</u> Exhibitors)

Company Name RMS (T)
Stand No 3S-37
The Health and Safety at Work Act, etc, 1974 (HASAWA74) It is a condition of entry into the exhibition that every Exhibitor, Contractor, sub-Contractor, supplier and their agents comply with the HASAWA74 and all other legislation covering the venue. The Exhibitor accepts that it is their legal and moral responsibility to ensure that their own and others' health and safety is not put at risk by their actions (or inactions) throughout tenancy. The exhibitor confirms that its staff will be sufficiently instructed and trained in relevant matters in order to carry out their tasks competently:
□ We are <u>SHELL SCHEME</u> and are using the PMG recommended contractors. We have trained and made our stand staff aware of the potential risks present onsite and we will copy them in with any additional safety information. We will complete and return a risk assessment by <u>Friday 22 June</u> . Any significant risks caused by our exhibits, demonstrations and work practises to either ourselves or others onsite are detailed on the form OR if our exhibits, demonstrations and work practises cause NO HAZARD to either ourselves or others onsite our risk assessment form will be marked clearly 'NO/ONLY LOW RISKS'
□ We are <u>SPACE ONLY.</u> My principal contractor(s) (named below) has undertaken a specific Risk Assessment for this event in accordance with the HASAWA74. They have trained and notified their staff and sub-contractors in all such areas identified as being of risk. A copy will be forwarded to the Organisers by Friday 22 June.
Stand contractor 1
Company_RMS Contact Name_MIKL RICHAUGSON. Address TNOWN OSON ITSE, UNIT 10 STYLLS CLOSE, SIFTING DENIAL TEL_CITYS 477280 Email_Sallserms-Klut.co.uk
Stand contractor 2
Company

Insurance and Public Liability

I confirm that we have adequate public liability insurance in place to protect ourselves against any loss or damage to our stand, exhibits, property and personnel and for any legal liability incurred in respect of injury or damage to persons or property belonging to third parties.

Health and Safety Representative on the stand will be	like Kichavolson
Position Val Valls Direct	Ltov.
Mobile No 07725 544839	
Declaration	
Authorised by Sayne (OHer.	
Print Name WAYNE COTTER	
Position ORECTOR.	───

Please return to pmg@conferencecollective.co.uk by Friday 22 2018.

RISK ASSESSMENT

Exhibition / Event: PMG 2018.

Date of Exhibition/Event: 23-25 July 2018.

Signature: Nayne (OHCV - DIRECTOV)

Venue: Exchange Hall,
Assessed By:

Potential Hazard Identified	Consequences	Persons at Risk	Worst Case Outcome	Probability Rating	Control Measures
Exection of	of equipment	RMS Start.	MUNCHI	(WO)	used in tonstruction.
Dismante of		u / u		., — ,,	
Electricity, light	Electrocution Hot lights	RMS Start.	MIÑON	(OW)	All equipment checked
Carper fitting	Trips or falls	Strutt.	Minor	· MD]	Carpet tiles used to
Manual	Sups trips,	SPANS.	Minor	(OW)	All Stayt travallying
Stands for display.	crush myuny	RMS L	Minor W.	(ON)	Relevant equipment to
		otcy			New York

Method State	ement – to be completed by	the Contractor b	uilding the stand			
Show name:	PMG 2018.	Dates you will be Building your stand:	23rd July 2018			
Exhibitor Company name:	RMS (JD	Contact name:	Mike Richardson			
Contractor Company name:	RMS_UD.	Contact name:	Mike Richardson			
Stand number:	35-37	Emergency on-site contact number:	37725 544838			
		Signature:	W			
Responsible Person	n(s) on site:	:=	I v			
Mike	Richardson	/ ADAM	WIER			
Stand Details & Loc	cation:					
There w	viu be a toam	backed	myoet 388m			
TIME (D)	viu be a Moxp	on exhibi	tion stoud			
		io eximi	HOVE STOWNED			
3x8n	ENCJ.					
Build Process: Please complete in	detail how you intend to build your stand for	orm delivery to completion	n			
	u de completer					
Staff manually and we will not require any						
0,39,	macrines to	complete	the build			
Working at Height:						
NOT A	pplicable.					
Exhibits:			4			
Wheeld	nairs and seat	ing proc	lucts Niu			
be wheeled onto the stand.						
		5.500 (6)	1			
